

Data references for Frisk et al. 2001 and Frisk et al. 2004

- Abdel-Aziz SH (1992) The use of vertebral rings of the brown ray *Raja miraletus* (Linnaeus, 1758) off the Egyptian Mediterranean coast for estimation of age and growth. *Cybium* 16(2): 121-132.
- Bass AJ (1986) Squatinidae. In: Smiths' Sea Fishes. MM Smith, Heemstra PC. Berlin, Springer-Verlag Berlin.
- Bliss R (1883) Descriptions of new species of Mauritian fishes. *Trans R Soc Mauritius* 13: 45-63.
- Bonfil R, Mena R, and D de Anda (1993) Biological parameters of commercially exploited silky sharks, *Carcharhinus falciformis*, from the Campeche Bank, Mexico. In: NOAA Tech Rep NMFS 115: 73-86.
- Bonham K, Sanford FB, Clegg WA and GC Bucher (1949) Biological and vitamin A studies of dogfish landed in the State of Washington *Squalus suckleyi*. *Wash Dep Fish Biol Bull* 49A: 83-114.
- Branstetter S (1987) Age, growth and reproductive biology of the silky shark, *Carcharhinus falciformis*, and the scalloped hammerhead, *Sphyma lewini*, from the northwestern Gulf of Mexico. *Environ Biol Fishes* 19(3): 161-173.
- Branstetter S, Musick JA, and JA Colvocoresses (1987) A comparison of age and growth of the tiger shark, *Galeocerdo cuvieri*, from off Virginia and from the northwestern Gulf of Mexico. *Fish Bull* 85: 269-279.
- Burgess WE, Axelrod HR, and RE Hunziker III (1990) Dr. Burgess's Atlas der Meerwasser Aquarium Fische. Bede Verlag, Kollnburg, Germany.

Cailliet GM, Martin LK, Harvey JT, Kusher D, and BA Welden (1983)

Preliminary studies on the age and growth of blue, *Prionace glauca*, common thresher, *Alopias vulpinus*, and shortfin mako, *Isurus oxyrinchus*, sharks from California waters. NOAA Tech Rep NMFS 8:179-188.

Cailliet GM, Mollet HF, Pittenger GG, Bedford D, and LJ Natanson (1992) Growth and Demography of the Pacific angel shark, *Squatina californica*, based upon tag returns off California. Aust J Mar Freshwat Res 43: 1313-1330.

Carlson, J.K., E. Cortes, and A.G. Johnson 1999. Age and growth of the blacknose shark, *Carcharhinus acronotus*, in the eastern Gulf of Mexico. Copeia 1999: 683-690.

Casey, J.M. and R.A. Myers 1998. Near extinction of a large widely distributed fish. Science 281(5377): 690-692.

Castro, J.I. 1996. The biology of the blacktip shark, *Carcharhinus limbatus*, off the southeastern United States. Bulletin of Marine Science. 59: 508-522.

Capape C (1993) New data on the reproductive biology of the thorny stingray, *Dasyatis centoura*, from off the Tunisian coasts. Environ Biol Fishes 38: 73-80.

Casey JG and LJ Natanson (1992) Revised estimates of age and growth of the sandbar shark (*Carcharhinus plumbeus*) from the western North Atlantic. Can J Fish Aquat Sci 49: 1474-1477.

Cervigon F (1992) Guia de campo de las Especies Comerciales Marinas y de Aguas Salobres de la Costa Septentrional de Sur America. Fiches FAO de Identificacion de Especies para los Fines de la Pesca 513p.

Claro R and JP Garcia-Arteaga Hart (1994) Crecimiento In R Claro (ed) Ecologia

- de los peces marinos de Cuba. Inst Oceanol Acad Cienc Cuba and Cen Invest Quintana Roo (CIQRO) Mexico: 321-402.
- Cliff, G., and S.F.J., Dudley 1991. Sharks caught in the protective gill nets of Natal, South Africa. VI. The bull shark, *Carcharhinus leucas*, (Valenciennes). South African Journal of Marine Science. 10: 253-270.
- Cliff, G., and S.F.J., Dudley 1992. Sharks caught in the protective gill nets off Natal, South Africa. 6. The copper shark *Carcharhinus brachyurus* (Gunther). South African Journal of Marine Science. 12: 663-674.
- Compagno LJV (1984) Carcharhiniformes. In: FAO species Catalogue Vol. 4. Sharks of the World. An annotated and illustrated catalogue of shark species known to date. FAO Fish Synop (part 2) 125(4): 655.
- Compagno LJV (1984) Hexanchiformes to Lamniformes. In: FAO species Catalogue Vol 4 sharks of the World. An annotated and illustrated catalogue of shark species known to date. FAO Fish Synop (part 1)(4).
- Compagno, L.J.V. 1984. Carcharhiniformes. *In* FAO species Catalogue Vol. 4. Sharks of the World. An annotated and illustrated catalogue of shark species known to date. FAO Fish Synop (part 2) 125(4): 655.
- Compagno, L.J.V. 1984. Hexanchiformes to Lamniformes. *In* FAO species Catalogue Vol. 4. sharks of the World. An annotated and illustrated catalogue of shark species known to date. FAO Fish Synop (part 1)(4).
- Cortes, E. (1995) Demographic analysis of the Atlantic sharpnose shark, *Rhizoprionodon terraenovae*, in the Gulf of Mexico. Fishery Bulletin, vol. 93, no. 1, pp. 57-66.

- Cortes, E. 2000. Life history patterns and correlation in sharks. *Reviews in Fisheries Science*. 8(4): 299-344.
- Davenport, S. and J.D., Stevens 1988. Age and growth of two commercially important sharks, *Carcharhinus tilstoni*, and *C. sorrah*, from northern Australia. *Australian Journal of Marine and Freshwater Resources*. 39: 417-433.
- De Crosta, M.A., L.R., Taylor Jr., and J.D. Parrish 1984. Age determination, growth, and energetics of three species of carcharhinid sharks in Hawaii. Pp. 75-95. *In: Proceedings of the Second Symposium on Resource Investigations in the Northwest Hawaiian Islands, May 25-27, 1983*. University of Hawaii, Sea Grant MR-84-01.
- Du Buit, M.H. 1976. The ovarian cycle of the cuckoo ray, *Raja naevus* (Muller and Henle), in the Celtic Sea. *Journal of Fish Biology*. 8: 199-207.
- Du Buit MH (1977) Age et croissance de *Raja batis* et de *Raja naevus* en Mer Celtique. *ICES* 37: 261-265.
- Dudley, S.F.J., G., Cliff 1993. Sharks caught in the protective gill nets off Natal, South Africa. 7. The blacktip shark, *Carcharhinus limbatus*, (Valenciennes). *South African Journal of Marine Science*. 13: 237-254.
- Edwards, R.R.C. 1980. Aspects of the population dynamics and ecology of the white spotted stingaree, *Urolophus paucomaculatis* Dixon, in Port Philip Bay, Victoria. *Australian Journal of Marine and Freshwater Research*. 31: 459-467.
- Ferreira BP and CM Vooren (1991) Age, growth, and structure of vertebra in the school shark *Galeorhinus galeus* (Linnaeus 1758) from southern Brazil. *Fish Bull* 89: 19-31.

- Feldheim, A.K., Gruber, H.S. and Ashley, V.M. (2001) Population genetic structure of the lemon shark (*Negaprion brevirostris*) in the western Atlantic: DNA microsatellite variation. *Molecular Ecology* 10: 295-303.
- Francis MP and RICC Francis (1992) Growth rate estimates for New Zealand rig (*Mustelus lenticultus*). *Aust J Mar Freshwat Res* 43: 1157-1176.
- Francis, M.P. 1981. Von Bertalanffy growth rates in species of *Mustelus* Elasmobranchii: Triakidae). *Copeia* 1981: 189-192.
- Fraser JH and BJ Maus (1965) Clupeoidae (by Alan Saville). Fiches d'identification des oeufs et larves de poissons. 1: 6.
- Gauld J (1979) Reproduction and fecundity of the Scottish-Norwegian stock of spurdog, *Squalus acanthias*. *ICES*. 54:15
- Gilmore RG (1993) Reproductive biology of lamnoid sharks. *Environ Biol Fishes* 38: 95-114.
- Govender A, Kistnasamy N, and RP van der Elst RP (1991) Growth of spotted ragged-tooth sharks *Carcharias taurus* (*Rafinesque*) in captivity. *South African Journal of Marine Science* 11: 15-19.
- Goosen, A.U. and M.J., Smale 1997. A preliminary study of age and growth of the smoothhound shark *Mustelus mustelus* (Triakidae). *South African Journal of Marine Science*. 18: 85-91.
- Grant CJ, Sandland RL, and AM Olsen (1979) Estimation of growth, mortality and yield per recruit of the Australian school shark, *Galeorhinus australis* (Macleay), from tag recoveries. *Aust J Mar Freshwat Res* 30: 625-637.
- Hart JL (1973) Pacific fishes of Canada. *Fish Res Board Can Bull* 180: 740.

- Hoening JM (1979) The vertebral centra of sharks and their use in age determination. MS thesis, University of Rhode Island.
- Holden MJ and AP Meadow (1962) The structure of the spine of the spur dogfish *Squalus acanthias* and its use for age determination. J Mar Biol Assoc UK 42: 179-197.
- Holden MJ, Rout DW, and CN Humphreys (1971) The rate of egg laying by three species of ray. J Cons int Explor Mer 33:(3) 335-339.
- Holden MJ (1972) The growth rates of *Raja brachyura*, *Raja clavata* and *Raja montagui* as determined from tagging data. J Cons 34(2):161-168.
- Ishiyama R (1967) Fauna Japonica, Rajidae (Pisces). Biogeographical Society of Japan: 1-82.
- Johnson GF (1979) The biology of the little skate, *Raja Erinacea* Michill 1825, In Block Island sound, Rhode Island. Thesis: University of Rhode Island.
- Kailola, P.J., M.J., Willaims, P.C., Stewart, R.E., Reichelt, A., McNee, and C. Greive 1993. Australian fisheries resources, Bureau of resource sciences, Department of primary industries and energy and fisheries research and development, Canberra.
- Kasim, H.M. 1991. Shark fishery of Verabal Coast with special references to population dynamics of *Scoliodon laticaudus* (Muller and Henle) and *Rhizoprionodon acutus* (Ruppell). Journal of the Marine Biological Association of India. 33.

- Kaganovskaia S (1933) A method for determining the age and composition of the catches of the spiny dogfish *Squalus acanthias*. Bull Far East Branch Acad Sci (USSR) 1-3: 139-141.
- Ketchen KS (1975) Age and growth of dogfish *Squalus acanthias* in British Columbia waters. J Fish Res Bord Can 32: 43-59.
- Killam, K.A. and Parsons, G.R. (1989) Age and growth of the blacktip shark, *Carcharhinus limbatus*, near Tampa Bay, Florida. Fishery Bulletin 87: 845-857.
- Kusher DI, Smith SE, and GM Cailliet (1992) Validated age and growth of the leopard shark, *Triakis semifasciata*, with comments on reproduction. Environ Biol Fish 35: 187-203.
- Last PR and JD Stevens (1994) Sharks and Rays of Australia. Australia, CSIRO.
- Lenanton, R.C. J., D.I., Heald, M., Platell, M., Cliff, and J., Shae 1990. Aspects of the reproductive biology of the gummy shark, *Mustelus antarcticus*, Gunther, from water off the south coast of Western Australia. Australian Journal of Marine and Freshwater Resources. 41: 807-822.
- Lessa, R. and Santana F.M. 1998. Age determination and growth of the smalltail shark, *Carcharhinus porosus*, from northern Brazil. Marine and Freshwater Research. 49: 705-711.
- Leim AH and WB Scott (1966) Fishes of the Atlantic coast of Canada. Fish Res Board Can Bull 155:485.
- Lessa, R. and F.M. Santana. 1998. Age determination and growth of the smalltail shark, *Carcharhinus porosus*, from northern Brazil. Mar. Freshwater Res. 49: 705-711.
- Martin, L.K.; and G.M. Cailliet 1988a. Aspects of the reproduction of the Bat Ray,

- Myliobatis californica*, in Central California. Copeia. no. 3, pp. 754-762.
- Martin, L.K.; and G.M Cailliet 1988b. Age and growth determination of the bat ray, *Myliobatis californica*, Gill in central California. Copeia. no. 3, pp. 762-773.
- McEachran, J.D., 2002. Skates, Family Rajidae. In Bruce B. Collette and Grace Klein-MacPhee, eds. Bigelow and Schroeder's Fishes of the Gulf of Maine, 3rd. ed. Smithsonian Institution Press, 882p.
- Mollet, H.F. and G.M. Cailliet 2002. Comparative population demography of elasmobranchs using life history tables, Leslie matrices and stage-based matrix models. Marine and Freshwater Research 53: 503-516 2002
- Moss, S.A. (1972) Tooth replacement and body growth rates in the smooth dogfish, *Mustelus canis* (Mitchill). Copeia 808-811.
- Martin FS and GG Gonzales (1960) Observaciones y notas sobre la explotacion de la sardina (*Clupanodon pseudohispanicus* Poey) en Venezuela. Proceedings World Scientific Meeting on the Biology of Sardines and Related Species, Rome, Italy, 14-21 September 1959. Rosa. H., Jr, and G. Murphy. Rome, FAO. 3.
- McEachran JD and JA Musick (1975) Distribution and relative abundance of seven species of skates (pisces: Rajidae) which occur between Nova Scotia and Cape Hatteras. Fish Bull 73(1)110-136.
- McEachran JD and T Miyake (1990) Phylogenetic interrelationships of skates: A working hypothesis (Chondrichthyes, Rajoidei). NOAA Tech Rep NMFS 90: 285-304.
- McEachran JD (in press) Fish of the Gulf of Maine.
- Millar JS and RM Zammuto (1983) Life histories of mammals: an analysis of life

- tables. *Ecology* 64(4): 631-635.
- Mooney-Seus ML and GS Stone (1997) The forgotten giants: giant ocean fishes of the Atlantic and the Pacific Ocean. Wildlife Campaign, Washington, DC USA, New England Aquarium, Boston, USA.
- Moulton PL, Walker TI and SR Sadlier (1992) Age and growth studies of gummy shark, *Mustelus antarcticus* (Gunther), and school shark, *Galeorhinus galeus* (Linnaeus), from southern Australian waters. *Aust J Mar Freshwat Res* 43: 1241-1267.
- Myers RA and RW Doyle (1983) Predicting natural mortality rates and reproduction-mortality trade-offs from fish life history data. *Can J Fish Aquat Sci* 40: 612-620.
- Myers, R.A., Brown, K.G. and Barrowman, N.J. (1999) The maximum reproductive rate of fish at low population sizes. *Canadian Journal of Fisheries and Aquatic Sciences* 56: 2404-2419.
- Myers, R.F. (1999) Micronesian reef fishes. Coral Graphics, Guam.
- Nammack MJ, Musick JA and JA Colvocoresses (1985) Life History of spiny dogfish off the northeastern United States. *Tran Amer Fish Soc* 114: 367-376.
- Natanson LJ and GM Cailliet (1990) Reproduction and development of the Pacific angel shark, *Squatina californica*, off Santa Barbara, California. *Copeia* 4: 987-994.
- Olsen AM (1954) The biology, migration and growth rate of the school shark *Galeorhinus australis* (McLeary), Charcharhinidae, in Southeastern Australian waters. *Aust J Mar Freshwat Res* 5(3):353-410.

- Parsons GR (1985) Growth and age estimation of the Atlantic sharpnose shark, *Rhizoprionodon terraenovae*: a comparison of techniques. *Copeia* 1: 80-85.
- Parsons GR (1993) Geographic variation in reproduction between 2 populations of the bonnethead shark, *Sphyrna-tinburo*. *Environmental Biology of Fishes*. 117:23-31.
- Randall JE, Allen GR and RC Steene (1990) *Fishes of the Great Barrier Reef and Coral Sea*. University of Hawaii Press, Honolulu, Hawaii: p506.
- Randall JE (1992) Review of the biology of the tiger shark (*Galeocerdo cuvier*). *Aust J Mar Freshwat Res* 43: 21-31.
- Robins CR and GC Ray (1986) *A field guide to Atlantic coast fishes of North America*. Boston, USA, Houghton Mifflin Company.
- Roff DA (1984) The evolution of life-history parameters in teleosts. *Can J of Fish Aquat Sci*. 41: 84-1000.
- Rossouw GJ (1984) Age and growth of the sand shark *Rhinobatos annulatus*, in Algoa Bay. *S Afr Fish Biol* 25: 213-222.
- Rountree RA and KW Able (1996) Seasonal abundance, growth, and foraging habits of juvenile smooth dogfish, *Mustelus canis*, in a New Jersey estuary. *Fish Bull* 94: 522-534.
- Ryland JS and TO Ajayi (1984) Growth and population dynamics of three Raja species (Batoidei) in Carmarthen Bay, British Isles. *J Const Int Explor* 41: 111-120.
- Saunders MW and GA McFarlane (1993) Age and length at maturity of the female spiny dogfish, *Squalus acanthias*, in the Strait of Georgia, British Columbia,

- Canada. Environ Biol Fish 38: 49-57.
- Seki, T., T. Taniuchi, H. Nakano, and M. Shimizu 1998. Age, growth, and reproduction of the oceanic whitetip shark from the Pacific Ocean. Fish Sci. 64: 14-20.
- Showers PAT (1993) Length-weight relationships of five species of the family Sparidae in the Gulf of Guinea. NAGA, The ICLARM Q 16(2-3): 32-33.
- Simpfendorfer CA (1993) Age and Growth of the Australian sharpnose shark, *Rhizoprionodon taylori*, from north Queensland, Australia. Environ Biol Fish 36: 233-241.
- Simpfendorfer CA and P Unsworth (1998) Reproductive biology of the whiskery shark, *Furgaleus macki*, off south-western Australia. Mar & Freshwater Res 49: 687-93.
- Smale, M.J. and L.J.V. Compagno 1997. Life history and diet of two southern African smoothhound sharks, *Mustelus mustelus* (Linnaeus, 1758) and *Mustelus palumbes* (Smith, 1957) (Pisces: Triakidae). South African Journal of Marine Science. 18: 229-248.
- Sminkey TR and JA Musick (1995) Demographic analysis of the sandbar shark, *Carcharhinus plumbeus*, in the western North Atlantic. Fish Bull 94: 341-347.
- Smith S.E., Au, D.W., and Show, C. 1998. Intrinsic rebound potentials of 26 species of Pacific sharks. Marine and Freshwater Research 49: 663-78.
- Snelson FF, Williams-Hopper SW, and TH Schmid (1988) Reproduction and Ecology of the Atlantic Stingray, *Dasyatis sabina*, in Florida Coastal Lagoons. Copeia 3: 729-739.

- Springer S (1990) Squalidae. In: Check-list of the fishes of the eastern tropical Atlantic. (Quero JC, Hureau C, Karrer A, Post, and L Saldanha) Lisbon, Paris, UNESCO. 1: 7-19.
- Steven GA (1932) Rays and skates of Devon and Cornwall. II. A study of the fishery; with notes on the occurrence, migrations and habits of the species. New Series XVIII(1): 1-35.
- Stevens JD (1975) Vertebral rings as a means of age determination in the blue shark (*Prionace glauca*). J Mar Biol Assoc UK 55: 657-665.
- Tanaka S, Cailliet GM, and KG Yudin (1990) Differences in growth of the blue shark, *Prionace glauca*: technique or population? In: Pratt HLJ, Gruber SH,
- Taniuchi T (1990) Elasmobranchs as living resources: advances in the biology, ecology, systematics, and status of the fisheries, NOAA Tech Rep NMFS 90: 177-187.
- Taniuchi, Nakano and Shimizu 1998. Age, growth and reproduction of the oceanic whitetip shark from the Pacific Ocean Fish. Sci. Vol. 64, no. 1, pp. 14-20. 1998.
- Templeman W (1965) Rare skates of the Newfoundland and neighboring areas. J Fisheries Research Board of Canada 22: 259-279.
- Tanaka, S. and K. Mizue 1979. Age and growth of the Japanese dogfish *Mustelus manazo* Bleeker in the East China Sea. Bull. Jpn. Soc. Sci. Fish., 45: 43-50.
- Tanaka, S., G.M., Cailliet, and K.G., Yudin 1990. Differences in growth of the blue shark, *Prionace glauca*: technique or population? In Pratt, H.L.J., S.H., Gruber, and T., Taniuchi, 1990. Elasmobranchs as living resources: advances in the

- biology, ecology, systematics, and status of the fisheries, NOAA Tech Rep NMFS 90: 177-187.
- Templeman, W. 1984. Migrations of thorny skate, *Raja radiata*, tagged in the Newfoundland area. *Journal of Northwest Atlantic Fishery Science* 5: 55-63.
- Tricas TC, Deacon K, Last P, McCosker JE, Walker TI and L Tayler (1997) *The Nature Company Guides: Sharks and Rays*. (L. Tayler ed) Time-Life Books:San Francisco. p288.
- Vooren, C.M. (1992) Reproductive strategies of eight species of viviparous elasmobranchs from southern Brazil. *Bulletin de la Société zoologique de France* 117: 303-312
- van der Elst RP and F Adkin (1991) Marine linefish: priority species and research objectives in southern Africa. *Oceanogr Res Inst Spec* 1: 132.
- Vinther M (1989) Some notes on the biology of the starry ray *Raja radiata*, in the North Sea. ICES Working Document for ICES study group on Elasmobranch Fisheries, April 1989, 20p.
- Walker PA (1994) Ecoprofile: rays and skates on the Dutch continental shelf and north sea. NIOZ Publication no: 3053.
- Walker PA and Heessen HJL (1996) Long-term changes in ray populations in the North Sea. *ICES* 53: 1085-1093.
- Walker, P.A. and J.R.G. Hislop 1998. Sensitive skates or resilient rays? Spatial and temporal shifts in ray species composition in the central and north-western North Sea between 1930 and the present day, *ICES Journal of Marine Science* 55(3): 392-402.

- Walter, J.P., and Ebert, D.A. 1991. Preliminary estimates of age of the bronze whaler *Carcharhinus brachyurus* (Chondrichthyes: Carcharhinidae) from southern Africa, with a review of some life history parameters. South African Journal of Marine Science. 10: 37-44.
- Wang, T.M., and C.T., Chen 1981. Reproduction of smooth dogfish, *Mustelus griseus*, in northwestern Taiwan waters. Journal of the Fisheries Society of Taiwan, 8(1): 23-36.
- Waring GT (1984) Age, growth, and mortality of the little skate off the Northeast Coast of the United States. Tran Amer Fish Soc 113: 314-321.
- Wetherbee, B.M., G.L. Crow, and C.G. Lowe, 1996. Biology of the Galapagos shark, *Carcharhinus galapagensis*, in Hawaii. Environmental Biology of Fishes. 45: 299-310.
- Wenbin Z and Q Shuyuan (1993) Reproductive biology of the guitarfish, *Rhinobatos hynnicephalus*. Environ Biol Fishes 38: 81-93.
- White, W.T., Platell, M.E. and Potter, I.C. (2001) Relationship between reproductive biology and age composition and growth in *Urolophus lobatus* (Batoidea: Urolophidae). Marine Biology 138: 135-147.
- Wourms, J.P. (1977) Reproduction and development in chondrichthyan fishes. American Zoologist 17: 379-410.
- Yano K (1993) Reproductive biology of the slender smoothhound, *Gollum attenuatus*, collected from New Zealand waters. Environ Biolo Fish 38:59-71.
- Yamaguchi, A., Taniuchi, T. and Shimizu, M. (2000) Geographic variations in

- reproductive parameters of the starspotted dogfish, *Mustelus manazo*, from five localities in Japan and in Taiwan. *Environmental Biology of Fishes* 57: 221-233.
- Yudin KG and GM Caillient (1990) Age and growth of the gray smoothhound, *Mustelus californicus*, and the brown smoothhound, *M. henlei*, from central California. *Copeia* 1: 191-204.
- Zeiner SJ and P Wolf (1993) Growth characteristics and estimates of age at maturity of two species of skates (*Raja binoculata* and *Raja rhina*) from Monterey Bay, California. NOAA Tech Rep NMFS 115: 87-99.
- Zorzi GD and ME Anderson (1988) Records of the deep-sea skates. *Calif Fish Game*. 74(2): 87-105.